

**PLIEGO DE PRESCRIPCIONES TÉCNICAS PARA EL
MANTENIMIENTO DE INFRAESTRUCTURAS DE SERVIDORES DE
ENRESA
EXP. CO-SI-22-026**

Clave: 000-ES-SI-0170

Páginas: 17

ÍNDICE

1. OBJETO.....	2
2. ALCANCE DEL SERVICIO.	2
3. CISCO INTERSIGHT SaaS EN SU EDICIÓN ESSENTIALS.....	2
4. MODELO DE RELACIÓN.....	3
5. ANEXO I	4

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 2 de 17
------------------------	----------------	----------------------	--------------------

1. OBJETO.

Este pliego establece las prescripciones técnicas requeridas para la prestación del servicio de mantenimiento de los servidores y los elementos de hardware y software que dan soporte a los sistemas de gestión corporativos de la organización.

2. ALCANCE DEL SERVICIO.

El programa de mantenimiento para cada equipamiento será el definido por el fabricante CISCO para sus productos: CISCO SMARTnet 24x7x4: Advance Replacement parts on a Four-Hour Response basis twenty-four (24) hours per day, seven (7) days per week, including Cisco-observed holidays.

El programa de mantenimiento es integral, está definido por el fabricante y solo puede prestarse por empresas certificadas por él.

En caso de reemplazo de piezas, CISCO envía las piezas para que las reemplace el contratista.

Gestión de incidencias

El contratista deberá disponer de un servicio de “Help Desk” de atención a consultas de técnicos de Enresa y una herramienta soporte de gestión de incidencias. Una vez comunicada una incidencia al contratista, por parte de Enresa, y solucionada la intervención, el contratista entregará un parte de intervención firmado por el técnico en el que se especifique el equipo averiado, ubicación, descripción de la avería, fecha y hora de notificación y de resolución, trabajos realizados para su resolución y estado de estos.

Se considerará que una incidencia se ha reabierto cuando se notifique exactamente la misma incidencia, relativa al mismo equipo, dentro de las 48 horas posteriores a su cierre definitivo

Las actuaciones que requieran la parada de una máquina o de alguno de sus servicios se planificarán junto con Enresa en un horario acordado.

Sustitución de piezas y configuración de repuestos

La reparación o sustitución de piezas defectuosas cubrirá todos y cada uno de los elementos (externos, internos, eléctricos, mecánicos) que componen los equipos, incluyendo los cables, conectores, accesorios e interfaces que estén conectados, así como todos los componentes añadidos de los mismos. Además, se realizará la configuración y las tareas necesarias en el equipo reparado para que quede operativo.

Todos los gastos derivados de cualquier clase de actuación exigida por la reparación o sustitución de equipos, incluido el movimiento o retirada de las máquinas, repuestos, serán por cuenta del contratista. Las piezas sustituidas deberán ser desechadas a través de un gestor autorizado, tras las actuaciones necesarias para impedir que pueda recuperarse información de ellas.

Cantidad y tipo de equipamiento a mantener

Ver ANEXO I

3. CISCO INTERSIGHT SaaS EN SU EDICIÓN ESSENTIALS

Si el contratista ha asumido el compromiso de incorporar a la plataforma la herramienta Cisco Intersight SaaS deberá realizar, en los 2 primeros meses desde el inicio de la prestación del servicio, las siguientes actuaciones:

- Realizar su instalación en las infraestructuras de Enresa para la gestión de toda la infraestructura

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 3 de 17
------------------------	----------------	----------------------	--------------------

- Realizar una sesión formativa de 4 horas para el uso y manejo de la herramienta por parte del personal de Enresa y el personal asignado a la operación.
- Realizar la integración con el soporte Cisco Technical Assistance Center (TAC)
- Configurar los paneles de usuario que permitan ver en un solo panel el estado de salud de la plataforma en sus principales parámetros
- Revisión de la plataforma de forma anual para su actualización.

4. MODELO DE RELACIÓN.

Por parte de Enresa, el responsable del contrato será la persona de referencia para la gestión y coordinación de las actividades derivadas de la ejecución del servicio.

El contratista designará un gestor del contrato que será la persona de referencia encargada de la supervisión y cumplimiento de los Acuerdos de Nivel de Servicio, así como de coordinar y garantizar el cumplimiento de los requisitos técnicos asignando los medios adecuados para la correcta prestación del servicio.

Para el seguimiento de estos acuerdos de nivel de servicio se realizará un informe anual con los indicadores y su cumplimiento.

Enresa podrá solicitar la convocatoria de una reunión, presencial o telemática, cuando lo crea conveniente y con los asistentes necesarios

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 4 de 17
------------------------	----------------	----------------------	--------------------

5. ANEXO I

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
		<u>Suscripciones Hyperflex data platform</u>		
CISCO	HXDP-S001-4YR=	HyperFlex Data Platform Datacenter Advantage 4 Yr	4	
CISCO	HXDP-S001-4YR=	HyperFlex Data Platform Datacenter Advantage 4 Yr	3	
		<u>Hyperflex Fabric Interconnect</u>		
CISCO	HX-FI-6332-16UP	UCS 6332-16UP 1RU FI/No PSU/24 QSFP+ 16UP/4x40G Lic/8xUP Lic	1	FDO23070HKM
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LH
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LS
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	JPC232204FR
CISCO	UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	1	LIT23162CDP
CISCO	N10-MGT015-HX	UCS Manager v4.0(2d) for HyperFlex	1	
CISCO	SFP-H10GB-CU3M	10GBASE-CU SFP+ Cable 3 Meter	1	JPC224804KS
CISCO	UCS-ACC-6332	UCS 6332/ 6454 Chassis Accessory Kit	1	
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	JPC232207BQ
CISCO	SFP-H10GB-CU3M	10GBASE-CU SFP+ Cable 3 Meter	1	JPC224805VF
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LG
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LZ
CISCO	UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	1	LIT23162CED
CISCO	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	2	
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	JPC232207BT
		-		
CISCO	HX-FI-6332-16UP	UCS 6332-16UP 1RU FI/No PSU/24 QSFP+ 16UP/4x40G Lic/8xUP Lic	1	FDO230326YV
CISCO	UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	1	LIT23162CM7
CISCO	UCS-ACC-6332	UCS 6332/ 6454 Chassis Accessory Kit	1	
CISCO	SFP-H10GB-CU3M	10GBASE-CU SFP+ Cable 3 Meter	1	JPC224805VE
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	TED2318K35G
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	TED2318K3D9
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LD
CISCO	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	2	
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LM
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3MF
CISCO	UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	1	LIT23162CEC
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	TED2318K335
CISCO	N10-MGT015-HX	UCS Manager v4.0(2d) for HyperFlex	1	
CISCO	SFP-H10GB-CU3M	10GBASE-CU SFP+ Cable 3 Meter	1	JPC224806KT
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LA
		-		
CISCO	HX-FI-6332-16UP	UCS 6332-16UP 1RU FI/No PSU/24 QSFP+ 16UP/4x40G Lic/8xUP Lic	1	FDO224116EK
CISCO	UCS-ACC-6332	UCS 6332/ 6454 Chassis Accessory Kit	1	
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LY
CISCO	SFP-H10GB-CU3M	10GBASE-CU SFP+ Cable 3 Meter	1	JPC2248054F
CISCO	UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	1	LIT23162CEH
CISCO	UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	1	LIT23162CDS

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 5 de 17
------------------------	----------------	----------------------	--------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LF
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	TED2318K338
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LL
CISCO	SFP-H10GB-CU3M	10GBASE-CU SFP+ Cable 3 Meter	1	JPC224805VB
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	TED2318K31J
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	TED2318K339
CISCO	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	2	
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	TED2318K31C
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3L4
CISCO	N10-MGT015-HX	UCS Manager v4.0(2d) for HyperFlex	1	
		-		
CISCO	HX-FI-6332-16UP	UCS 6332-16UP 1RU FI/No PSU/24 QSFP+ 16UP/4x40G Lic/8xUP Lic	1	FDO23051G0S
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	JPC2322052W
CISCO	UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	1	LIT23162CEL
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	JPC2322056U
CISCO	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	2	
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	JPC232204HD
CISCO	UCS-ACC-6332	UCS 6332/ 6454 Chassis Accessory Kit	1	
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LJ
CISCO	N10-MGT015-HX	UCS Manager v4.0(2d) for HyperFlex	1	
CISCO	UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	1	LIT23162CFM
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LB
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LC
CISCO	QSFP-H40G-CU3M	40GBASE-CR4 Passive Copper Cable, 3m	1	JPC232204ET
CISCO	UCS-FAN-6332	UCS 6332/ 6454 Fan Module	1	DCH2251R3LR
CISCO	SFP-H10GB-CU3M	10GBASE-CU SFP+ Cable 3 Meter	1	JPC224806N6
CISCO	SFP-H10GB-CU3M	10GBASE-CU SFP+ Cable 3 Meter	1	JPC224805N1
		Hyperflex Servers y Vmware		
CISCO	HXAF240C-M5SX	Cisco HyperFlex HX240c M5 All Flash Node	1	WZP23190CAY
CISCO	HX-PCI-1-C240M5	Riser 1 incl 3 PCIe slots (x8, x16, x8)	1	WZP23240QNU
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0IU00090424C59377
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500958
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502279
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500967
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C11FBB
CISCO	UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanking panel	6	
CISCO	HX-RAILB-M4	Ball Bearing Rail Kit for C220 M4 and C240 M4 rack servers	1	
CISCO	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	2	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500979
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501021
CISCO	HX-SAS-M5HD	Cisco 12G Modular SAS HBA for up to 26 drives	1	LSK232300VQ
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2323J00K
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502282
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	S09KA40818392F03FA

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 6 de 17
------------------------	----------------	----------------------	--------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500957
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NF0KC01009
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C3806B
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M9NM716900503
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402446
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C380B4
CISCO	HX-VSP-6-5-EPL-DL	Factory Installed - vSphere 6.5 Enterprise Plus SW Dnld	1	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502547
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502273
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37C5F
CISCO	HX-NVMEXP-I375	Cisco 2.5" 375GB Intel Optane NVMe Extreme Performance SSD	1	PHKE923100G9375AGN
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502609
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37C60
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402459
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37FFA
CISCO	HX-PCI-2B-240M5	Riser 2B incl 3PCieslots(x8,x16,x8)+2NVMe(1cnctr)supportsGPU	1	WZP23250E6Y
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502596
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C3670E
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0IU00090424C59100
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500854
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C366E6
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37DC5
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502600
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C367AE
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C380B3
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37A2E
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501029
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502604
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500856
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C36703
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	C0HHA3083940D39180
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M9762AS600886
CISCO	UCSC-RNVME-240M5	C240 M5 Rear NVMe CBL(1) kit, Rear NVMe CBL, backplane	1	WZP2324Z7KX
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0IU00090424C5968A
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37DCC
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	S802C251952F0DFDC78
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502285
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2322J0HY
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C38067
CISCO	HXAF240C-BZL-M5SX	HXAF240C M5 Security Bezel	1	
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401468
CISCO	HX-MLOM-C40Q-03	Cisco VIC 1387 Dual Port 40Gb QSFP CNA MLOM	1	FCH23247A24

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 7 de 17
------------------------	----------------	----------------------	--------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	HX-M2-240GB	240GB SATA M.2	1	MSA23150B3J
CISCO	HX-VSP-6-5-EPL-D	Factory Installed - VMware vSphere 6.5 Ent Plus SW+Lic 2-CPU	1	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0IU00090424C59450
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401474
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401467
CISCO	UCSC-HS2-C240M5	Heat sink for UCS C240 M5 rack servers CPUs above 150W	2	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C367AB
CISCO	HX-MSD-32G	32GB Micro SD Card for UCS M5 servers	1	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C36700
CISCO	UCS-MSTOR-M2	Mini Storage carrier for M.2 SATA/NVME (holds up to 2)	1	FCH2326736L
CISCO	HX-SD240GM1X-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1	184622829C1A
CISCO	HXAF240C-M5SX	Cisco HyperFlex HX240c M5 All Flash Node	1	WZP23190CBE
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37D97
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402445
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37F54
CISCO	HX-PCI-1-C240M5	Riser 1 incl 3 PCIe slots (x8, x16, x8)	1	WZP23240QNV
CISCO	UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanking panel	6	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502314
CISCO	HX-RAILB-M4	Ball Bearing Rail Kit for C220 M4 and C240 M4 rack servers	1	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502585
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502588
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502593
CISCO	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	2	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502691
CISCO	HX-SAS-M5HD	Cisco 12G Modular SAS HBA for up to 26 drives	1	LSK232002GN
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502597
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401466
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2323J02L
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2323J04K
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K02700090424C06C6C
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C111DB
CISCO	HXAF240C-BZL-M5SX	HXAF240C M5 Security Bezel	1	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502584
CISCO	HX-VSP-6-5-EPL-DL	Factory Installed - vSphere 6.5 Enterprise Plus SW Dnld	1	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502319
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402439
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K02700090424C08698
CISCO	HX-NVMEXP-I375	Cisco 2.5" 375GB Intel Optane NVMe Extreme Performance SSD	1	PHKE905000AP375AGN
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C112D9
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502313
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37F50
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502323

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 8 de 17
------------------------	----------------	----------------------	--------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	HX-PCI-2B-240M5	Riser 2B incl 3PCieslots(x8,x16,x8)+2NVMe(1cnctr)supportsGPU	1	WZP23250E1X
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K02700090424C086D2
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C11929
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K02700090424C08DF2
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502605
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502606
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502607
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402458
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502689
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502601
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C0E6F3
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M9762AS601419
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C10F87
CISCO	UCSC-RNVME-240M5	C240 M5 Rear NVMe CBL(1) kit, Rear NVMe CBL, backplane	1	WZP2324Z7LU
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K02700090424C06C69
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502529
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M9762AS600915
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C118F0
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502603
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37DC8
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502687
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402444
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C11205
CISCO	HX-MLOM-C40Q-03	Cisco VIC 1387 Dual Port 40Gb QSFP CNA MLOM	1	FCH23247A27
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C12044
CISCO	HX-VSP-6-5-EPL-D	Factory Installed - VMware vSphere 6.5 Ent Plus SW+Lic 2-CPU	1	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K02700090424C0872A
CISCO	HX-M2-240GB	240GB SATA M.2	1	MSA23150B3M
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C10F83
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K02700090424C0872B
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C0E671
CISCO	UCSC-HS2-C240M5	Heat sink for UCS C240 M5 rack servers CPUs above 150W	2	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C0E6D9
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C10F88
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C1200F
CISCO	HX-MSD-32G	32GB Micro SD Card for UCS M5 servers	1	
CISCO	UCS-MSTOR-M2	Mini Storage carrier for M.2 SATA/NVME (holds up to 2)	1	FCH2326723T
CISCO	HX-SD240GM1X-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1	184622829C3B
CISCO	HXAF240C-M5SX	Cisco HyperFlex HX240c M5 All Flash Node	1	WZP231910TB
CISCO	HX-PCI-1-C240M5	Riser 1 incl 3 PCIe slots (x8, x16, x8)	1	WZP23240QNT
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501504
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501658
CISCO	UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanking panel	6	

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 9 de 17
------------------------	----------------	----------------------	--------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37BB1
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K02700090424C09369
CISCO	HX-RAILB-M4	Ball Bearing Rail Kit for C220 M4 and C240 M4 rack servers	1	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C366EE
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C367AA
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37C1F
CISCO	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	2	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C380EE
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C3670F
CISCO	HXAF240C-BZL-M5SX	HXAF240C M5 Security Bezel	1	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37C1E
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2322J0EN
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501659
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2322J0GG
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502578
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37DCA
CISCO	HX-SAS-M5HD	Cisco 12G Modular SAS HBA for up to 26 drives	1	LSK231901WX
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C380E9
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501505
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C36710
CISCO	HX-VSP-6-5-EPL-DL	Factory Installed - vSphere 6.5 Enterprise Plus SW Dnld	1	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502590
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M9762AS601190
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C36712
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502304
CISCO	HX-NVMEXP-I375	Cisco 2.5" 375GB Intel Optane NVMe Extreme Performance SSD	1	PHKE92310060375AGN
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C3815C
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M9762AS601362
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501501
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37C65
CISCO	HX-PCI-2B-240M5	Riser 2B incl 3PCieslots(x8,x16,x8)+2NVMe(1cnctr)supportsGPU	1	WZP23250E2D
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501663
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502305
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0IU00090424C59486
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502308
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C380BB
CISCO	UCS-MSTOR-M2	Mini Storage carrier for M.2 SATA/NVME (holds up to 2)	1	FCH232673BX
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402461
CISCO	UCSC-RNVME-240M5	C240 M5 Rear NVMe CBL(1) kit, Rear NVMe CBL, backplane	1	WZP2324Z7L1
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402449
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502513
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502694
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501506

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 10 de 17
------------------------	----------------	----------------------	---------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502307
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502581
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402460
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402425
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402447
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M502299
CISCO	HX-VSP-6-5-EPL-D	Factory Installed - VMware vSphere 6.5 Ent Plus SW+Lic 2-CPU	1	
CISCO	HX-MLOM-C40Q-03	Cisco VIC 1387 Dual Port 40Gb QSFP CNA MLOM	1	FCH23247A3Z
CISCO	UCSC-HS2-C240M5	Heat sink for UCS C240 M5 rack servers CPUs above 150W	2	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C366F0
CISCO	HX-M2-240GB	240GB SATA M.2	1	MSA23150B3F
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C3670D
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37F8C
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S3LHNX0K516377
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K03V00090424C11423
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C382CD
CISCO	HX-MSD-32G	32GB Micro SD Card for UCS M5 servers	1	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C38154
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C37C20
CISCO	HX-SD240GM1X-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1	184622829B38
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0EA00090424C366E7
CISCO	HXAF240C-M5SX	Cisco HyperFlex HX240c M5 All Flash Node	1	WZP231910QX
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEB7BE
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500881
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEDC7B
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEDB0D
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEDCA0
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402443
CISCO	UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanking panel	6	
CISCO	HX-M2-240GB	240GB SATA M.2	1	MSA23160922
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEDCA3
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501322
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K09W00090524DA3C8A
CISCO	HX-PCI-1-C240M5	Riser 1 incl 3 PCIe slots (x8, x16, x8)	1	WZP23250456
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500681
CISCO	UCSC-HS2-C240M5	Heat sink for UCS C240 M5 rack servers CPUs above 150W	2	
CISCO	HX-MLOM-C40Q-03	Cisco VIC 1387 Dual Port 40Gb QSFP CNA MLOM	1	FCH232372QK
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501319
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEDB0B
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M85W4V2400418
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500680
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402450

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 11 de 17
------------------------	----------------	----------------------	---------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEBD4C
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEDAA3
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K09W00090524DA3C48
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501313
CISCO	HX-PCI-2B-240M5	Riser 2B incl 3PCieslots(x8,x16,x8)+2NVMe(1cnctr)supportsGPU	1	WZP23250EBD
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500871
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402440
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CED5B5
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEDB00
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124804972
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEDAA5
CISCO	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	2	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501320
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEBCC9
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2317J0LO
CISCO	HX-SAS-M5HD	Cisco 12G Modular SAS HBA for up to 26 drives	1	LSK232302TA
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500683
CISCO	UCS-MSTOR-M2	Mini Storage carrier for M.2 SATA/NVME (holds up to 2)	1	FCH232470ZQ
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2317J0KM
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M8VH826300667
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500890
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402462
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEC367
CISCO	HXAF240C-BZL-M5SX	HXAF240C M5 Security Bezel	1	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEC58A
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB0CBD
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K09W00090524DA1514
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500878
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500682
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501378
CISCO	UCSC-RNVME-240M5	C240 M5 Rear NVMe CBL(1) kit, Rear NVMe CBL, backplane	1	WZP2324Z7S7
CISCO	HX-VSP-6-5-EPL-DL	Factory Installed - vSphere 6.5 Enterprise Plus SW Dnld	1	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEDA9D
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B60008512480314C
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500888
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500642
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401472
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K09W00090524DA2D5D
CISCO	HX-NVMEEXP-I375	Cisco 2.5" 375GB Intel Optane NVMe Extreme Performance SSD	1	PHKE9231006T375AGN
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEB7C6
CISCO	HX-RAILB-M4	Ball Bearing Rail Kit for C220 M4 and C240 M4 rack servers	1	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500679

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 12 de 17
------------------------	----------------	----------------------	---------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501324
CISCO	HX-MSD-32G	32GB Micro SD Card for UCS M5 servers	1	
CISCO	HX-VSP-6-5-EPL-D	Factory Installed - VMware vSphere 6.5 Ent Plus SW+Lic 2-CPU	1	
CISCO	HX-SD240GM1X-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1	1,84623E+11
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501323
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K14U00090524CEC26C
CISCO	HXAF240C-M5SX	Cisco HyperFlex HX240c M5 All Flash Node	1	WZP231910R1
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500628
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB1BA6
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB0A72
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB1A8A
CISCO	HX-PCI-1-C240M5	Riser 1 incl 3 PCIe slots (x8, x16, x8)	1	WZP2325043Z
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB1BE4
CISCO	HX-VSP-6-5-EPL-D	Factory Installed - VMware vSphere 6.5 Ent Plus SW+Lic 2-CPU	1	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB02F9
CISCO	HX-M2-240GB	240GB SATA M.2	1	MSA2316091M
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500618
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500629
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB08DA
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500872
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AAFD68
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501329
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB05BE
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501325
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB0B4C
CISCO	HX-SAS-M5HD	Cisco 12G Modular SAS HBA for up to 26 drives	1	LSK232302MX
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401471
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M9245PQ400894
CISCO	UCSC-HS2-C240M5	Heat sink for UCS C240 M5 rack servers CPUs above 150W	2	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB0B4F
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402451
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB147D
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2317J0VU
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB084E
CISCO	UCSC-RNVME-240M5	C240 M5 Rear NVMe CBL(1) kit, Rear NVMe CBL, backplane	1	WZP2324Z7L0
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500627
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501328
CISCO	HX-PCI-2B-240M5	Riser 2B incl 3PCieslots(x8,x16,x8)+2NVMe(1cnctr)supportsGPU	1	WZP23250EAX
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500892
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402448
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB0B15
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB0B19

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 13 de 17
------------------------	----------------	----------------------	---------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402424
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501327
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB0B48
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2317J0VK
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500870
CISCO	HX-MLOM-C40Q-03	Cisco VIC 1387 Dual Port 40Gb QSFP CNA MLOM	1	FCH232371LS
CISCO	UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanking panel	6	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500640
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB1297
CISCO	HX-VSP-6-5-EPL-DL	Factory Installed - vSphere 6.5 Enterprise Plus SW Dnld	1	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500887
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB0BC7
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB0B1C
CISCO	HX-RAILB-M4	Ball Bearing Rail Kit for C220 M4 and C240 M4 rack servers	1	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500884
CISCO	HX-MSD-32G	32GB Micro SD Card for UCS M5 servers	1	
CISCO	HX-NVMEXP-I375	Cisco 2.5" 375GB Intel Optane NVMe Extreme Performance SSD	1	PHKE923100DP375AGN
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500877
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501314
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB1BAC
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHZ	1	M9245PQ400534
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB0CBE
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501326
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB10BA
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB130C
CISCO	UCS-MSTOR-M2	Mini Storage carrier for M.2 SATA/NVME (holds up to 2)	1	FCH232470NL
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB1C30
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402423
CISCO	HXAF240C-BZL-M5SX	HXAF240C M5 Security Bezel	1	
CISCO	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	2	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500882
CISCO	HX-SD240GM1X-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1	18462282FA67
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K08A00090224AB1A82
CISCO	HXAF240C-M5SX	Cisco HyperFlex HX240c M5 All Flash Node	1	WZP231910QU
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401476
CISCO	HX-PCI-2B-240M5	Riser 2B incl 3PCieslots(x8,x16,x8)+2NVMe(1cnctr)supportsGPU	1	WZP23250EBF
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B6000851248033EC
CISCO	HX-VSP-6-5-EPL-D	Factory Installed - VMware vSphere 6.5 Ent Plus SW+Lic 2-CPU	1	
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402441
CISCO	UCS-MSTOR-M2	Mini Storage carrier for M.2 SATA/NVME (holds up to 2)	1	FCH232471G3
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501308
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124802DAE

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 14 de 17
------------------------	----------------	----------------------	---------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	HX-PCI-1-C240M5	Riser 1 incl 3 PCIe slots (x8, x16, x8)	1	WZP2325043W
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500631
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500636
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501315
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124804327
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B6000851248043D4
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501316
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501311
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501318
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803941
CISCO	HX-VSP-6-5-EPL-DL	Factory Installed - vSphere 6.5 Enterprise Plus SW Dnld	1	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124802D86
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401473
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803145
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B60008512480437B
CISCO	UCSC-HS2-C240M5	Heat sink for UCS C240 M5 rack servers CPUs above 150W	2	
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2317J0K5
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500619
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B6000851248026F2
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B60008512480320B
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B60008512480466C
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500643
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2317J0LA
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500635
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500876
CISCO	HX-MLOM-C40Q-03	Cisco VIC 1387 Dual Port 40Gb QSFP CNA MLOM	1	FCH2323727E
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124802D3E
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124802F97
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803A04
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500641
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500634
CISCO	HX-SD240GM1X-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1	18462282FB14
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B60008512480393F
CISCO	UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanking panel	6	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500644
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124804379
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M85W4V2400397
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501317
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803A8A
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401470
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500633
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B6000851248044FF
CISCO	HX-RAILB-M4	Ball Bearing Rail Kit for C220 M4 and C240 M4 rack servers	1	

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 15 de 17
------------------------	----------------	----------------------	---------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	HX-M2-240GB	240GB SATA M.2	1	MSA23160923
CISCO	HX-MSD-32G	32GB Micro SD Card for UCS M5 servers	1	
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401469
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124804B0F
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B60008512480333E
CISCO	HXAF240C-BZL-M5SX	HXAF240C M5 Security Bezel	1	
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	S802C0F18141BE73D91
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803906
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B60008512480314B
CISCO	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	2	
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M8VH826300233
CISCO	HX-SAS-M5HD	Cisco 12G Modular SAS HBA for up to 26 drives	1	LSK232302SL
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124804BBA
CISCO	UCSC-RNVME-240M5	C240 M5 Rear NVMe CBL(1) kit, Rear NVMe CBL, backplane	1	WZP2324Z7M9
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500637
CISCO	HX-NVMEXP-I375	Cisco 2.5" 375GB Intel Optane NVMe Extreme Performance SSD	1	PHKE923100AT375AGN
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500632
CISCO	HXAF240C-M5SX	Cisco HyperFlex HX240c M5 All Flash Node	1	WZP22380YHM
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M9245PQ400779
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124804325
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500648
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500849
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500647
CISCO	UCSC-HS2-C240M5	Heat sink for UCS C240 M5 rack servers CPUs above 150W	2	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500646
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803342
CISCO	HX-CPU-8176	2.1 GHz 8176/165W 28C/38.50MB Cache/DDR4 2666MHz	1	M9245PQ400853
CISCO	HX-PCI-1-C240M5	Riser 1 incl 3 PCIe slots (x8, x16, x8)	1	WZP23250441
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803162
CISCO	HX-M2-240GB	240GB SATA M.2	1	MSA23160925
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402426
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124804BE1
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2317J0V2
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500638
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B60008512480320A
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803118
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500859
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B60008512480317F
CISCO	HX-PSU1-1600W	Cisco UCS 1600W AC Power Supply for Rack Server	1	PST2317J0NIF
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500891
CISCO	HX-MLOM-C40Q-03	Cisco VIC 1387 Dual Port 40Gb QSFP CNA MLOM	1	FCH23237276
CISCO	UCS-MSTOR-M2	Mini Storage carrier for M.2 SATA/NVME (holds up to 2)	1	FCH232471P0
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803B1D

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 16 de 17
------------------------	----------------	----------------------	---------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanking panel	6	
CISCO	HX-PCI-2B-240M5	Riser 2B incl 3PCIeslots(x8,x16,x8)+2NVMe(1cnctr)supportsGPU	1	WZP23250EBB
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501310
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124802D42
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402422
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500639
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803942
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803DEF
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501307
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803340
CISCO	HX-SD240GM1X-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1	184622831B8D
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803232
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803C4A
CISCO	HXAF240C-BZL-M5SX	HXAF240C M5 Security Bezel	1	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501309
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124802E1D
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401475
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124802CF8
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B6000851248026F8
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M501312
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124804465
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124802937
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500645
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500630
CISCO	UCSC-RNVME-240M5	C240 M5 Rear NVMe CBL(1) kit, Rear NVMe CBL, backplane	1	WZP2324Z7P3
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124802E20
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803114
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124803207
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500874
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B600085124802CF9
CISCO	HX-VSP-6-5-EPL-DL	Factory Installed - vSphere 6.5 Enterprise Plus SW Dnld	1	
CISCO	HX-VSP-6-5-EPL-D	Factory Installed - VMware vSphere 6.5 Ent Plus SW+Lic 2-CPU	1	
CISCO	HX-SAS-M5HD	Cisco 12G Modular SAS HBA for up to 26 drives	1	LSK232302RY
CISCO	HX-RAILB-M4	Ball Bearing Rail Kit for C220 M4 and C240 M4 rack servers	1	
CISCO	HX-MSD-32G	32GB Micro SD Card for UCS M5 servers	1	
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500861
CISCO	HX-NVMEXP-I375	Cisco 2.5" 375GB Intel Optane NVMe Extreme Performance SSD	1	PHKE9231004F375AGN
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R402442
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500875
CISCO	HX-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	1	K0B60008512480311C
CISCO	HX-SD960G61X-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S6MSNA0R401465
CISCO	HX-SD960G61X-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	1	S4F4NA0M500873

Clave: CO-SI-22-026	Revisión: 0	Fecha: Enero.2023	Página: 17 de 17
------------------------	----------------	----------------------	---------------------

FABRICANTE	REFERENCIA	DESCRIPCION	UDS.	NUMERO DE SERIE
CISCO	CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Connectors, 2 Meter Length	2	
		Licencias SUSE/SLES		
CISCO	SLES-SAP-2S2V-3S=	SLES for SAP Apps (1-2 CPU, 1-2 VM); Priority 3-Yr SnS	1	F4O2M8MZKSP
CISCO	UCS-SUSE-TERMS	Acceptance of Terms, Standalone SUSE License for UCS Servers	1	F4O2M8MZKSP
CISCO	SLES-SAP-2S2V-3YR	SUSE for SAP Apps; (1-2 CPU,1-2 VM); Prio SnS 24x7 - 3 Year	1	F4O2M8MZKSP
CISCO	SLES-SAP-2S2V-3S=	SLES for SAP Apps (1-2 CPU, 1-2 VM); Priority 3-Yr SnS	1	MRWEMJ64IIG
CISCO	UCS-SUSE-TERMS	Acceptance of Terms, Standalone SUSE License for UCS Servers	1	MRWEMJ64IIG
CISCO	SLES-SAP-2S2V-3YR	SUSE for SAP Apps; (1-2 CPU,1-2 VM); Prio SnS 24x7 - 3 Year	1	MRWEMJ64IIG
CISCO	SLES-SAP-2S2V-3S=	SLES for SAP Apps (1-2 CPU, 1-2 VM); Priority 3-Yr SnS	1	HZLUGM8Z8GA
CISCO	SLES-SAP-2S2V-3YR	SUSE for SAP Apps; (1-2 CPU,1-2 VM); Prio SnS 24x7 - 3 Year	1	HZLUGM8Z8GA
CISCO	UCS-SUSE-TERMS	Acceptance of Terms, Standalone SUSE License for UCS Servers	1	HZLUGM8Z8GA
CISCO	SLES-SAP-2S2V-3S=	SLES for SAP Apps (1-2 CPU, 1-2 VM); Priority 3-Yr SnS	1	DTVAR04ZZ9Q
CISCO	SLES-SAP-2S2V-3YR	SUSE for SAP Apps; (1-2 CPU,1-2 VM); Prio SnS 24x7 - 3 Year	1	DTVAR04ZZ9Q
CISCO	UCS-SUSE-TERMS	Acceptance of Terms, Standalone SUSE License for UCS Servers	1	DTVAR04ZZ9Q
CISCO	SLES-SAP-2S2V-3S=	SLES for SAP Apps (1-2 CPU, 1-2 VM); Priority 3-Yr SnS	1	GAQGOHAMOO5
CISCO	UCS-SUSE-TERMS	Acceptance of Terms, Standalone SUSE License for UCS Servers	1	GAQGOHAMOO5
CISCO	SLES-SAP-2S2V-3YR	SUSE for SAP Apps; (1-2 CPU,1-2 VM); Prio SnS 24x7 - 3 Year	1	GAQGOHAMOO5
CISCO	SLES-SAP-2S2V-3S=	SLES for SAP Apps (1-2 CPU, 1-2 VM); Priority 3-Yr SnS	1	KB3HS6PX9BB
CISCO	UCS-SUSE-TERMS	Acceptance of Terms, Standalone SUSE License for UCS Servers	1	KB3HS6PX9BB
CISCO	SLES-SAP-2S2V-3YR	SUSE for SAP Apps; (1-2 CPU,1-2 VM); Prio SnS 24x7 - 3 Year	1	KB3HS6PX9BB
CISCO/VMWARE	VMW-VCS-STD-5A=	VMware vCenter 7 Server Standard, 5.. Service Level ISV1. UC ISV1 L1+L2 24x7	2	N54AH-6XHGR-08J...5409122942 / N14322x0GU-48T...5409122950